

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	Art Unit:
John J. KOPCHICK)	
)	Examiner:
)	
Appln. No.: 10/524,237)	Washington, D.C.
)	
Filed: August 4, 2003)	December 15, 2005
)	
For: DIAGNOSIS OF KIDNEY)	Docket No.: KOPCHICK5A
DAMAGE AND PROTECTION AGAINST)	
SAME)	Confirmation No.: 8623

RESPONSE TO "SEQUENCE LISTING" REQUIREMENT

U.S. Patent and Trademark Office
Customer Service Window
Randolph Building, Mail Stop
401 Dulany Street
Alexandria, VA 22314

Sir:

In response to the Notice to Comply, mailed October 28, 2005, please amend the application as follows:

IN THE SPECIFICATION

Please enter the attached Sequence Listing, numbered as pages 1-82.

REMARKS

- Applicants hereby submit the following:
 - ☒ a paper copy of a "Sequence Listing", complying with §1.821(c), to be incorporated into the specification as directed above;
 - ☐ an amendment to the paper copy of the "Sequence Listing" submitted on , the amendment being in the form of substitute sheets;
 - ☒ the Sequence Listing in computer readable form, complying with '1.821(e) and '1.824, including, if an amendment to the paper copy is submitted, all previously submitted data with the amendment